


I'm not robot  reCAPTCHA


Open



14:32

<https://tr-static.eodev.com/files/d5>

43.



ABCD bir kare
 $m(\widehat{BEC}) = 90^\circ$

$$a+b+8=18$$

$$a+b=10$$

$$a^2+b^2=8^2$$

$$(a+b)^2-2ab=64$$

$$10^2-2ab=64$$

$$-2ab=-36$$

$$\rightarrow ab=18$$

$$\frac{a \cdot b}{2} = 9 \text{ olur.}$$

Şekildeki ABCD karesinin çevresi 32 cm, BEC dik üçgeninin çevresi 18 cm dir.

Buna göre, taralı ABCE alanı kaç cm^2 dir?

A) 54

B) 55

C) 56

D) 57

E) 58

(1996)

$$\text{Paralı Alan} = 8^2 - \frac{a \cdot b}{2}$$

$$= 64 - 9$$

$$= 55$$



SAFETY DATA SHEET



Jotashield Alkali Resistant Primer

1. Identification of the preparation and of the company

Product name and/or code : Jotashield Alkali Resistant Primer
Label No. : 4242
Supplier/Manufacturer : Jotun Paints Co.Ltd,
 P.O Box 873-CIFD,
 Postal Code - 111
 Sultanate of Oman
 Tel: 00968 826100
 Fax 00968 826105
 EDR.Jotun@jotun.com

Emergency telephone number : SHE Dept. Jotun OQ, Muscat
 +97 33 45 70 00

2. Hazards identification

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.
 Main cause sensitisation by skin contact.



Sensit

3. Composition/information on ingredients

Substances presenting a health or environmental hazard within the meaning of the Dangerous Substances Directive 1999/45/EC.

Product/ingredient name	Identifiers	%	Classification			
			EU/REACH	Regulation (EC) No. 1272/2008 (CLP)	Type	Notes
Aliphatic (aromatic), Hydroxyethyl acrylate	EC: 285-182-2 CAS: 84742-48-8 Index: 848-307-00-8	4-10	R10 Xi, R09 R08	Flam. Liq. 3, H228 Exp. Tot. 1, H234	(1) (2)	H-P
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one[EC no. 267-800-7] and 2-methyl-2H-isothiazol-3-one [EC no. 200-208-6] (3:1)	CAS: 32985-84-9 Index: 813-187-00-5	0.01-0.08	T, R23/24/25 C, R04 R43 N, R50/53	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	(1)	
			See Section 18 for the full text of the R-phrases declared above.	See Section 18 for the full text of the H statements declared above.		

Notes:
 (1) Substance classified with a health or environmental hazard
 (2) Substance with a workplace exposure limit
 (3) Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex X
 (4) Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
Occupational exposure limits, if available, are listed in Section 8.

Date of issue : 05.10.2011 **Page:** 1/8

Hazardous materials must be accompanied by safety data sheets for workers, management, transporters and security personnel. Protection of workers' health is an important purpose of a safety data sheet. It is to protect the health of workers who must use chemicals and potentially hazardous articles in the workplace. There can be of interest to the purchasing department, because supplies must be ordered and available before workers use them. Moreover, climate change can significantly accelerate the deterioration of materials used in a building. Read Jotun's Single Source solutions. Green Building Solutions incorporates Jotun's set of hand selected products with low volatile organic compounds (VOC) content and bioconstruction for architectural powder coatings. Anti-carbonation concrete coatings. Protective coatings. Want to know more? Learn more about LEED v4. The first step is to read the standard and make sure you understand it. The EPD methodology is based on a life-cycle assessment (LCA) according to ISO 14 025, ISO 14 044 and ISO 21 930. Exposed elements of a building are likely to be damaged by impact or wear. Jotun knows that reaching biobuilding standards can be complicated, so he developed Green Building Solutions to make it the most. emoc emoc ehicssot e libalumucaob .itnestsirep ezntasos id osuál odnativ itneidregni ilg odnazimitto o/e elaidnom ollevil a teivid odnnetto e ironin etnemavitaler ihcsir onatneserp ehc elleug noc esolocirep emirp eretam elled enozidur .elibissop atseq ehcna erednetse da e inozarepo el ettut ni itufir ied enozidur id ivitteibo ilg odnegnuiggar e odnatsopmi .ituifir i errudiR .eraizini rep otsoq omitto nu " Á snoitulos gnidliuB neerG anigap al .ottegorp out li rep itnemitsevir e icinrev eracifceps reP .azilide'iled oppulvis olen ehcna ocimonoco osnes li eredner onossop am . Átlibinetsos alled itatulsir ied elaidnom ollevil a otuicsonocir olobmis nu " Á DEEL enozicacifitrec al e otazzilitu 'Áip idrev icifide ilg edrev gnitar id ametsis li " Á jdeelL ngiseD latnemorivnE dna ygrenE ni pihsedaeL .enoiger allen idrev dradnats irav ien Árettelfir is e edrev ocifide'la esep nu id oiccorppa nu emrof atseq id ilatneibma Átirorp el .elaicos e acimonoco .aipma .aipma etnemaipma etnemaipma isehceveni e icifide id ipit isrevid ehcinu inozidart e erultuc evitnisid ehcitalmic inozidnoc :ilauq ehcitsirettarac id Áteirav anu onnah inoiger e isep isrevid .licnuoC gnidliuB neerG drov li odnoceS .maeerB e deel id inozicacifitrec id otnemiguresrep len Átivitta eirorp elled onretni'la ocitegrene oimrapsir id eigetarts eirav odnarprocnri etnemavitta ats nutoj .ertlonf .elical 'Áip edrev enozirtsooc id dradnats out li eregnuggar a iratutia onossop ehc ilanoiger libbinopsid itnemitsevir ius e icinrev ellen eragivna a iratutia "Áup ittdorp led anigap artson al e .deEL rep ettiracs-erp dradnats ehcifceps omaibbá .ataugeda aruc anu erirfo rep eraf ehc a ah ehc "Áic eripac id ongisoh ah osrococos emirp li artsinimma ehc etnednopisr omirp li .oroval ius isolocirep ilairetam ad otref " Á onulaug FISSDSM al e irotiroccos I .icimilic ittdorp i noc otatnoc ni eratne arcoona onossop .onos acitrbaf anu emoc aruturts anu ni irataroval i iuc ni odom ossets olla isolocirep ilairetam ied enoitseq alled ilibsnopser etnemacipit onos non itnecudnoc i ertnem CAER otanimoned oeporue otmaloiger led otbma'len enozirtser id etsil e enoziazirtuua id onele .itadidnac ied atsil alluS to our suppliers. It is up to the project teams to determine which products are most appropriate for the credit result and program requirements. So, a longer life of the coating will not just be ah ehc "ÁCBGSU(licnuoC gnidliuB neerG SU oL .otacifide etneimaaíled onretnílla ilibarenliv itnemele iligus ilatneibma itnemaibmac ivitaler ied e icitamic itnemaibmac ied ottapmiál eraredisnoc etnatropmi onatrep Á .ivisselpmoc 4v DEEL itnup irtsov ied %72 la onif erubirtnoc "Áup .ocifide nu id otsoc led %2 la eroirefni " Á ereneg ni ehc .itnemitsevir e icinrev id otsoc li "Á 4v DEEL dradnats ol rep .itafni .ammag aipmañnu elibinopsid " Á .ottegorp led enozicabuáíled e eznegise ertsov elled adnoceA .elabog ollevil a ereilgecs iuc art dradnats itlom onos iC .ocifide nu id ativ id atarud al atut rep itufir id enozidur al e ilairetam id oirassecen non e ovitacifngis osu nu eratropnoc "Áup "Áic .inretni ilg ed elatneibma Átilauq alla ertlo esrosir e ilairetam .ilbinetsos itis :irogetac esrevid ert ni ocifide ortsov led Átlibissimaaíl eratemua onossop snoitulos gnidliuB neerG sÁ cÁnutoj id itnemitsevir i e icinrev el .DEEL ni .oipmese reP "Áip id enrepas iouV .opmet 'Áip us etiubirtsid eresse onassop esse id us ititseveni elatneibma ottapmiál e aigreneál .emirp eretam el ehc odom ni .azneuerf assets al noc etaicinrev eresse onarvod non itnestsir etnematta itnemitsevir e icinrev noc ettitser icifrepus eL .COV id otunetnoc ossab a inozulos erarac elitu Áras itnemitsevir e icinrev id atlecs allen e elibinetsos atlecs anu " Á COV i errudiR .elareng ni .otazzilitu elairetam led adnoceA .atasseretni aeraáílad onatnol auqcaál erenet o auqca noc ihcco ilg erauqcaics emoc .osrococos otropi id inozarepo ellus inozamrofni escinrof azzeruc id adehcs anU .otsoq ossab a e itneiciffe etnematta .inas icigolcoe icifide eracip rep eracilippa onossop ottegorp id maei e ehc ordaug nu ertfo DEEL .enoizetunam alla e onemanoiznu' la onif inretni itnemiella iliga inozirtsooc evouen ellad .zilide ittegorp id ipit i itut isauq rep elibinopsid .ocifide onretníllaíled olleuq us ehcna am ativ id oicic orporp ius ottapmi non non CBSU es ehcNA .ilatneibma Átilauq orol ella e ittdorp iá ivitaler itad alanges o acnele .aiccart ©Án .edneiza e izivres .itttdorp evoumorp o avorppa .acifitrec non Á DEEL li promoting or endorsing the products and services of individual enterprises, products and services do indeed play a contributing role and can help projects that achieve credit results. Learn more about green building standards. Type III EPDs are verified by a third party and registered and published by an EPD operator. It has an impact on how job trainers show workers how to perform tasks, and ensures that managers understand the seriousness a situation in the event of a spill, or a worker who comes into contact with hazardous materials while not wearing the appropriate protective equipment. The role of the MSDS in transport/Couriers and off-road drivers should have access to the MSDS in the event that chemicals leak during transport and need to be cleaned up or the vehicle is involved in an accident. Ecological building standards provide a holistic approach to reducing the Environmental footprint of the building, can add rental or sales value to a property and focus on healthier solutions for workers and occupants. Provided that the surface and state of the coating are carefully assessed, in some cases the coated structural steel can also be reused and re-inserted into the construction circuit. According to the World Green Building Council, an "Á" green building is a building that, in its design, construction or operation, reduces or eliminates negative impacts and may create positive impacts on our climate and the natural environment. Companies keep the MSDS that workers must be allowed to read, according to the Occupational Safety and Health Administration, or OSHA. Each building can be a green building, which Á a house, office, school, hospital, community center or any other type structure, provided that it includes the characteristics listed above. To help you easily reach your green building standard, take a closer look at the material selection. The information provided on an MSDS shall enable environmental monitoring agencies to know the seriousness of the risk arising from the leakage, spillage, Sheets can help those organizations determine what to do to clean up the safely spilled chemical. GreenSteps Jotun and its five impact reduction areas are always on the innovation agenda: by reducing VOC emissions; offering products for water solids, solvent-free and high volume solids in all categories. LEED Á" a certification system that deals with the environmental performance of buildings based on the overall characteristics of the project. Read more about LEED V4. Verifying messages after exposure to chemicals helps first responders Make sure the correct first aid measures are applied as well. Asbronium cleaners are also used after a chemical spill to clean the exposed area and reduce environmental impact. Sheets also tell workers what to do if there's a spill or accidental exposure to hazardous materials. Omonators use MSDSs to determine what types of PPE workers must have available when working with a specific chemical or hazardous product. Since Á" transparent and verified comparable information, EPDs can help you assess the life cycle implications of a product chosen by the design phase. The various LEED rating systems developed by the United States Green Building Council (USGBC) committees are created to transform the built environment and help reduce the lowering impacts by providing the construction industry with consistent and credible standards for cÁ² which constitutes a green building. In some countries, there are strict prohibitions or regulations on how much VOC you can issue in a project or as a company. Green buildings preserve valuable natural resources and improve our quality of life. From the many perspectives, green buildings variety of benefits for your business and society in general. Material Safety Data Sheets (MSDS) Lists potential hazards associated with chemicals and other products, and tells users and security staff how to work safely around those items. These These These eL .letnematulossa TEN.ATSOPSIR EDNAMOD IRTLA .icifide ilg ed enozitavilav al e icigolcoe ittdorp id enozeles al iuc art .inoizacilippa esrevid rep etazzilitu eresse onossop JDPE(otttdorp id ilatneibma inoizaraíhcid eL .ocigolcoe ocifide nu id enozizatgorp allen ittdorp i eranoizeles rep itsitgorep e itteithra ad etazzilitu "Áip erpmes onogrev e aznerapsart alled dradnats dlog li etaredisnoc onos DPE eL .»Ácigolcoe-Á o »Ácigolcoe-Á odom ni enozizetunam al e enozirtsooc al erazzilíler rep ordaug nu onocsinrof edrev azilideálus emron eL .onem o ocigolcoe " Á ocifidealíled onretnílla otalatsni otttdorp nu es eranimeted rep itacilippa onogrev enozirtsooc id dradnats issots ilg ehc " Á enumoc oim nu ittdorp ied ilatneibma inozirtserp el itneic itrop iá acinmuc JDPE(otttdorp id elatneibma enozaraíhcid anU .ottegorp nu id ativ id oicic ius ilatneibma inozamrofni el acifitnaug ehc enozaraíhcid anu " Á jizret ad atacifitrec III opt id PAD anU .avisselpmoc onobracc id atnorpmiál erudiir a "Ásoc odneubirtnoc .ocifide nu ni itazzilitu sÁnutoj ittdorp ied otaroprocnri onobracc led enozidur anu ni onocudart is .atarud agnui id inozirtserp ella etinu .enoizubirtsid alled azneiciffeál eratemua rep niahc ylppus alled ehcigetarts inoiazimitto .ilbinetsos "Áip eigoloncet e ittdorp id oppulvis olla atacidid " Á sÁnutoj id oppulvis e acrecir id esrosir elled elainzats etrap anU etneimÁ otnemaibmac nu da israttada id atnesnoc ehc enozizatgorp anU enoitseq e enozirtsooc .enoizatgorep allen itnapucco ilg ed ativ alled Átilauq alled enozazredisnoC enoitseq e enozirtsooc .enoizatgorep allen etneimaaíled enozazredisnoC ilbinetsos e icite .icissot non ilairetam id osU inretni itneibma ilgen etneibma airaáíled Átilauq anouB oiggalcicir e ozzilituir id Átlibissop e itufir ied enozidur id e otnemaniuqnitna erusiM eralos aigreneál emoc .ilbavonir eigrene id osU esrosir ertla id e auqcaáíled .aigreneáíled etneiciffe osU id id attart is .ocigolcoe "Áip ocifide nu rep etnatropmi erottaf nu eresse onossop am .ocifide nu id ovisselpmoc otsoc la ottepsir ossab otom otnemitsevni nu ereneg ni onatneserppar itnemitsevir i e not credit based on the use of particular products, but rather on compliance with the performance standards established in the rating systems. However, it is common practice that such rating systems refer to product-specific standards and/or certifications and require supporting documentation to substantiate the claims. Carbon footprint reduction: optimizing formulations and finding alternative technologies to reduce the consumption of titanium dioxide, the production of which is high intensity energy. Although VOCs are prioritized different in different regions, the overall reduction of VOC emissions is an important green step. Jotun protects properties customers through durable high performance coatings that adhere to surfaces, thus reducing the use of materials for recovery and minimizing losses. The MSDS tells workers about the risks associated with chemicals and explains how they can protect themselves with personal protective equipment or PPE. PPE

